News Letter_August.2018_Monthly news

Monthl	y news		
1.Monthly news E-GM Tech h	omepage rene srei	wal (www.stello	on.net) eea beasi saa saara sior
۵			
		Non-Series	and the second sec
Savet & Insuity Savetlight 75W	Three A Towning Serverlight 10200	Weard & Hale DC125-WW 24W DAR	Wood NPUI DC12-399WW DAR
And the second s	Short CSM Test CEO Greene	Falley & classy Hell task 250	Holdsr Lancol Jubace exce Carrie Strategy Holds Lancol Jubace exception Record Lancol Jubace exception Record
			DEN MALIN EXE SEARCH SHOP
	Stellon PR Video		Recent Posts
n ma na an n per	About STELLON > Sodion RV/Ideo		Perox STRUCH (Selfor/R), (Perox STRUCH) (Selfor/R), (potential of Cantext Devel & Security (Severityr), Digs & Billowert (Sev SW (Need & Part) DCM/0001
en board shape in board shape	ndeo) C	•	CS Center In the input any market and the input any market any market any market any market any market any mar
ren. 1999 af diget of forget of a photos of photos of photos of photos of the state			
0-CMT -		ananci	
e-GM Tech renewal homepage opened It reflects the latest trend, which is different from the existing			
method which was based on PC, and it shows optimized			
response homepage on mobile and tablet.			
It has been reorganized into a system that can communicate with customers as well as the existing one-way			
	ansfer function.	g one way	
Product introdu	Ice		
NOVE LIK SLIM 35 UV / 50 UV -10% waterpool, moisture proof, duit good (P67 twi 8 and 4 diter) -30% waterpool, moisture proof, duit good (P67 twi 8 and 4 diter) -30% waterpool, coab y 60 -70% (Coapment of L01)			
Slim lighti only sign Perfect wa moisture p	50W ng for board ter proof, roof slim(45mr	n) outdoor ligh	Arran age Marran
Specifica			
3,683(lm) 1	UMNANCE CRI (1M) OVER 75 ,300(lux) OVER 75 WEIGHT OPEATING TEMPERATUR	CCT 6000K E CONSUMPTION VOI	PUT POWER TAGE FACTOR
IP67 1 Kg -50~55℃ 50W AC220V (2100~2700) OVER 0.9 ■ Light Distribution & Cone Lux Levels			
ВАСК	Heat sink	■ Dimen *135X173X	sion 22.8
		173.00 80 166.00 173.00	12130
Efficing bracker	1		hal hole herein 1331
www,e-gmtech,c www,stellon.net	m	1 Gongdario 88-21, Gumi-s	Overgangtse-do, Krees TEL: +42+54-716-2732 FAX: +82-54-716-2732 E-mail leftfliggmlecht/sr Whitesperi-462-10-3235-5420 We chall D1-482-10-3235-5420 Zelo ID: E-GM TECH